VOLUME 69 • CONTENTS

No 1 JULY 2000

Page

Editorial

1 The psychoses of epilepsy *B K Toone*

Editorial commentary

3 Isolated Horner's syndrome and syringomyelia *C J K Ellis*

Review

5 Inborn errors of metabolism as a cause of neurological disease in adults: an approach to investigation *R G F Gray, M A Preece, S H Green, W Whitehouse, J Winer, A Green*

Papers

13 Social deprivation and prevalence of epilepsy and associated health usage *C L I Morgan, Z Ahmed, M P Kerr*

18 Inhibitory simple partial (non-convulsive) status epilepticus after intracranial surgery *C Armon, R A Radtke, A H Friedman*

25 Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis *F Fazekas, S Strasser-Fuchs, H Schmidt, C Enzinger, S Ropele, A Lechner, E Flooh, R Schmidt, H Hartung*

29 Serum lipids in young patients with ischaemic stroke: a case-control study *J F Albucher, J Ferrieres, J B Ruidavets, B Guiraud-Chaumeil, B P Perret, F Chollet*

34 Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke *W Vattanasilp, L Ada, J Crosbie*

40 Prospective analysis of bedside percutaneous subdural tapping for the treatment of chronic subdural haematoma in adults *M H T Reinges, I Hasselberg, V Rohde, W Küker, J M Gilsbach*

48 Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI *H S Markus, D J Lythgoe, L Ostegaard, M O'Sullivan, S C R Williams*

54 Family history and DNA analysis in patients with suspected Huntington's disease *S Siesling, M Vegter-van de Vlis, M Losekoot, R D M Belfroid, J A Maat-Kievit, H P H Kremer, R A C Roos*

60 Cognitive functioning after subthalamic nucleotomy for refractory Parkinson's disease *R J McCarter, N H Walton, A F Rowan, S S Gill, M Palomo*

67 The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease *A Schrag, C Selai, M Jahanshahi, N P Quinn*

74 CSF sulfatide distinguishes between normal pressure hydrocephalus and subcortical arteriosclerotic encephalopathy *M Tullberg, J-E Månsson, P Fredman, A Lekman, K Blennow, R Ekman, L E Rosengren, M Tisell, C Wikkelsø*

82 Camino® intracranial pressure monitor: prospective study of accuracy and complications *R M Martinez-Mañas, D Santamarta, J M de Campos, E Ferrer*

87 Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note *M Kohno, H Takahashi, H Segawa, K Sano*

91 Somatosensory evoked potentials after multisegmental lower limb stimulation in focal lesions of the lumbosacral spinal cord *D Restuccia, A Insola, M Valeriani, V Santilli, L Bedini, D le Pera, C Barba, F Denaro, P Tonali*

96 Persistence of tropical ataxic neuropathy in a Nigerian community *O S A Oluwole, A O Onabolu, H Link, H Rosling*

102 Phonological grouping is specifically affected in cerebellar patients: a verbal fluency study *M G Leggio, M C Silveri, L Petrosini, M Molinari*

Short reports

107 Familial aggregation of Parkinson's disease in a Finnish population *J M Autere, J S Moilanen, V V Myllylä, K Majamaa*

110 Isolated finger flexion: a novel form of focal neuromyotonia *H Modarres, M Samuel, F Schon*

114 Extension of the clinical range of facioscapulohumeral dystrophy: report of six cases *A J van der Kooi, M C Visser, N Rosenberg, R van den Berg-Vos, J H J Wokke, E Bakker, M de Visser*

117 Validating a screening questionnaire for parkinsonism in Australia *D K Y Chan, W T Hung, A Wong, E Hu, R G Beran*

121 Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis *R Giess, M Naumann, E Werner, R Riemann, M Beck, I Puls, C Reiners, K V Toyka*

124 Arnold-Chiari malformation and nystagmus of skew *C Pieh, I Gottlob*

127 Long term follow up after perimesencephalic subarachnoid haemorrhage *G Marquardt, T Niebauer, U Schick, R Lorenz*

Lesson of the month

131 Isolated Horner's syndrome and syringomyelia *J B Kerrison, V Biousse, N J Newman*

Neurological picture

133 Sunflower cataract in Wilson's disease *V Goyal, M Tripathi*

Letters

134 Retro-ocular headache with autonomic features resembling "continuous" cluster headache in lateral medullary infarction *C Cid, J Berciano, J Pascual*

135 Chronic autonomic neuropathy in a patient with primary Sjögren's syndrome *H Goto, H Matsuo, T Fukudome, N Shibuya, A Ohnishi, H Nakamura*

135 C1/C2 rotary subluxation due to spasmodic torticollis *S Dalvie, A P Moore, G F Findlay*

136 Ataxic form of Guillain-Barrè syndrome associated with anti-GD1b IgG antibody *N Yuki, K Susuki, K Hirata*

137 Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis *S Eintracht, E Silber, P Sonnenberg, H J Koornhof, D Saffer*

VOLUME 69 • CONTENTS

No 1 JULY 2000

Page

Editorial

1 The psychoses of epilepsy *B K Toone*

Editorial commentary

3 Isolated Horner's syndrome and syringomyelia *C J K Ellis*

Review

5 Inborn errors of metabolism as a cause of neurological disease in adults: an approach to investigation *R G F Gray, M A Preece, S H Green, W Whitehouse, J Winer, A Green*

Papers

13 Social deprivation and prevalence of epilepsy and associated health usage *C L I Morgan, Z Ahmed, M P Kerr*

18 Inhibitory simple partial (non-convulsive) status epilepticus after intracranial surgery *C Armon, R A Radtke, A H Friedman*

25 Apolipoprotein E genotype related differences in brain lesions of multiple sclerosis *F Fazekas, S Strasser-Fuchs, H Schmidt, C Enzinger, S Ropele, A Lechner, E Flooh, R Schmidt, H Hartung*

29 Serum lipids in young patients with ischaemic stroke: a case-control study *J F Albucher, J Ferrieres, J B Ruidavets, B Guiraud-Chaumeil, B P Perret, F Chollet*

34 Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke *W Vattanasilp, L Ada, J Crosbie*

40 Prospective analysis of bedside percutaneous subdural tapping for the treatment of chronic subdural haematoma in adults *M H T Reinges, I Hasselberg, V Rohde, W Küker, J M Gilsbach*

48 Reduced cerebral blood flow in white matter in ischaemic leukoaraiosis demonstrated using quantitative exogenous contrast based perfusion MRI *H S Markus, D J Lythgoe, L Ostegaard, M O'Sullivan, S C R Williams*

54 Family history and DNA analysis in patients with suspected Huntington's disease *S Siesling, M Vegter-van de Vlis, M Losekoot, R D M Belfroid, J A Maat-Kievit, H P H Kremer, R A C Roos*

60 Cognitive functioning after subthalamic nucleotomy for refractory Parkinson's disease *R J McCarter, N H Walton, A F Rowan, S S Gill, M Palomo*

67 The EQ-5D—a generic quality of life measure—is a useful instrument to measure quality of life in patients with Parkinson's disease *A Schrag, C Selai, M Jahanshahi, N P Quinn*

74 CSF sulfatide distinguishes between normal pressure hydrocephalus and subcortical arteriosclerotic encephalopathy *M Tullberg, J-E Månsson, P Fredman, A Lekman, K Blennow, R Ekman, L E Rosengren, M Tisell, C Wikkelsø*

82 Camino® intracranial pressure monitor: prospective study of accuracy and complications *R M Martinez-Mañas, D Santamarta, J M de Campos, E Ferrer*

87 Neurovascular decompression for idiopathic tarsal tunnel syndrome: technical note *M Kohno, H Takahashi, H Segawa, K Sano*

91 Somatosensory evoked potentials after multisegmental lower limb stimulation in focal lesions of the lumbosacral spinal cord *D Restuccia, A Insola, M Valeriani, V Santilli, L Bedini, D le Pera, C Barba, F Denaro, P Tonali*

96 Persistence of tropical ataxic neuropathy in a Nigerian community *O S A Oluwole, A O Onabolu, H Link, H Rosling*

102 Phonological grouping is specifically affected in cerebellar patients: a verbal fluency study *M G Leggio, M C Silveri, L Petrosini, M Molinari*

Short reports

107 Familial aggregation of Parkinson's disease in a Finnish population *J M Autere, J S Moilanen, V V Myllylä, K Majamaa*

110 Isolated finger flexion: a novel form of focal neuromyotonia *H Modarres, M Samuel, F Schon*

114 Extension of the clinical range of facioscapulohumeral dystrophy: report of six cases *A J van der Kooi, M C Visser, N Rosenberg, R van den Berg-Vos, J H J Wokke, E Bakker, M de Visser*

117 Validating a screening questionnaire for parkinsonism in Australia *D K Y Chan, W T Hung, A Wong, E Hu, R G Beran*

121 Injections of botulinum toxin A into the salivary glands improve sialorrhoea in amyotrophic lateral sclerosis *R Giess, M Naumann, E Werner, R Riemann, M Beck, I Puls, C Reiners, K V Toyka*

124 Arnold-Chiari malformation and nystagmus of skew *C Pieh, I Gottlob*

127 Long term follow up after perimesencephalic subarachnoid haemorrhage *G Marquardt, T Niebauer, U Schick, R Lorenz*

Lesson of the month

131 Isolated Horner's syndrome and syringomyelia *J B Kerrison, V Biousse, N J Newman*

Neurological picture

133 Sunflower cataract in Wilson's disease *V Goyal, M Tripathi*

Letters

134 Retro-ocular headache with autonomic features resembling "continuous" cluster headache in lateral medullary infarction *C Cid, J Berciano, J Pascual*

135 Chronic autonomic neuropathy in a patient with primary Sjögren's syndrome *H Goto, H Matsuo, T Fukudome, N Shibuya, A Ohnishi, H Nakamura*

135 C1/C2 rotary subluxation due to spasmodic torticollis *S Dalvie, A P Moore, G F Findlay*

136 Ataxic form of Guillain-Barrè syndrome associated with anti-GD1b IgG antibody *N Yuki, K Susuki, K Hirata*

137 Analysis of adenosine deaminase isoenzyme-2 (ADA_2) in cerebrospinal fluid in the diagnosis of tuberculous meningitis *S Eintracht, E Silber, P Sonnenberg, H J Koornhof, D Saffer*

Correspondence

138 Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise *M Nogués, K Heidel, E Benarroch.*
Reply by *M J Morrell, A Guz*

Correction

139 Davies NP, Eunson LH, Gregory RP *et al.* Clinical, electrophysiological, and molecular genetic studies in a new family with paramyotonia congenita. *J Neurol Neurosurg Psychiatry* 2000:**68**:504–507.

139 **Book reviews**

Historical note

86 The circle of Willis (1621–75) *J M S Pearce*

Neurological stamp

130 Edmond Isidore Etienne Nocard (1850-1903) *L F Haas*

No 2 AUGUST 2000 Page

Editorial

143 Botulinum toxin and spasticity *E C Davis, M P Barnes*

Editorial commentaries

147 Acoustic neuroma surgery as an interdisciplinary approach *D G Hardy*

148 Cerebral dysfunction and psychotic symptoms in Alzheimer's disease *B Toone*

Review

150 Hereditary spastic paraparesis: a review of new developments *C McDermott, K White, K Bushby, P Shaw*

Papers

161 Acoustic neuroma surgery as an interdisciplinary approach: a neurosurgical series of 508 patients *J-C Tonn, H-P Schlake, R Goldbrunner, C Milewski, J Helms, K Roosen*

167 Cerebral correlates of psychotic symptoms in Alzheimer's disease *M S Mega, L Lee, I D Dinov, F Mishkin, A W Toga, J L Cummings*

172 Hallucinations, delusions, and cognitive decline in Alzheimer's disease *R S Wilson, D W Gilley, D A Bennett, L A Beckett, D A Evans*

178 Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease? *S Bozeat, C A Gregory, M A L Ralph, J R Hodges*

187 Temporal lobe asymmetry in patients with Alzheimer's disease with delusions *C Geroldi, N M Akkawi, S Galluzzi, M Ubezio, G Binetti, O Zanetti, M Trabucchi, G B Frisoni*

192 Electroencephalographic coherence analysis in multiple sclerosis: correlation with clinical, neuropsychological, and MRI findings *L Leocani, T Locatelli, V Martinelli, M Rovaris, M Falautano, M Filippi, G Magnani, G Comi*

199 Increased expression of insulin-like growth factor I in skin in amyotrophic lateral sclerosis *S Ono, J Hu, T Imai, N Shimizu, M Tsumura, H Nakagawa*

204 Emotional and cognitive consequences of head injury in relation to the Glasgow outcome scale *J T L Wilson, L E L Pettigrew, G M Teasdale*

210 Volume of focal brain lesions and hippocampal formation in relation to memory function after closed head injury in children *G D Stefano, J Bachevalier, H S Levin, J X Song, R S Scheibel, J M Fletcher*

217 Impact of botulinum toxin type A on disability and carer burden due to arm spasticity after stroke: a randomised double blind placebo controlled trial *B B Bhakta, J A Cozens, M A Chamberlain, J M Bamford*

222 Neuronal metabolic changes in the cortical region after subcortical infarction: a proton MR spectroscopy study *D-W Kang, J-K Roh, Y-S Lee, I C Song, B-W Yoon, K-H Chang*

228 Homocysteine, folate, methylation, and monoamine metabolism in depression *T Bottiglieri, M Laundy, R Crellin, B K Toone, M W P Carney, E H Reynolds*

Short reports

233 Upper limb motor function at 5000 metres: determinants of performance and residual sequelae *E Silber*

237 Reliance on external cues during serial sequential movement in major depression *M A Rogers, J L Bradshaw, J G Phillips, E Chiu*

240 Gut focused behavioural treatment (biofeedback) for constipation and faecal incontinence in multiple sclerosis *P H Wiesel, C Norton, A J Roy, J B Storrie, J Bowers, M A Kamm*

244 Are ictal vocalisations related to the lateralisation of frontal lobe epilepsy? *J Janszky, A Fogarasi, H Jokeit, A Ebner*

248 Can diffusion weighted magnetic resonance imaging help differentiate stroke from stroke-like events in MELAS? *C Oppenheim, D Galanaud, Y Samson, M Sahel, D Dormont, B Wechsler, C Marsault*

251 Phenotypic differences between African and white patients with motor neuron disease: a case-control study *B Tomik, A Nicotra, C M Ellis, C Murphy, S Rabe-Hesketh, M Parton, C E Shaw, P N Leigh*

254 Ataxia caused by mutations in the α-tocopherol transfer protein gene *F Usuki, K Maruyama*

257 Focal amyotrophy in neurofibromatosis 2 *R Trivedi, J Byrne, S M Huson, M Donaghy*

262 Course and distribution of facial corticobulbar tract fibres in the lower brain stem *S Terao, N Miura, A Takeda, A Takahashi, T Mitsuma, G Sobue*

266 Limbic encephalitis and antibodies to Ma2: a paraneoplastic presentation of breast cancer *I Sutton, J Winer, D Rowlands, J Dalmau*

269 Diffusion tensor imaging can detect and quantify corticospinal tract degeneration after stroke *D J Werring, A T Toosy, C A Clark, G J M Parker, G J Barker, D H Miller, A J Thompson*

Neurological picture

273 Multiple lesions originating from the ventricular wall *W Meissner, T Lempert, F K H van Landeghem, N Hosten*

Letters

274 Right ipsilateral hypersensation in a case of anosognosia for hemiplegia and personal neglect with the patient's subjective experience *H Tei*

275 Phantom limb sensations after complete thoracic transverse myelitis *A M O Bakheit*

276 Vestibular evoked myogenic potentials in multiple sclerosis *K Shimizu, T Murofushi, M Sakurai, M Halmagyi*
277 Sensory ataxia as the initial clinical symptom in X-linked recessive bulbospinal neuronopathy *A Buecking, R Pfister*
277 Neuroleptic malignant syndrome without fever: a report of three cases *D T S Peiris, K A L A Kuruppuarachchi, L P Weerasena, S L Seneviratne, Y T Tilakaratna, H J de Silva, B Wijesiriwardena*
278 Acute psychosis and EEG normalisation after vagus nerve stimulation *S D Gatzonis, E Stamboulis, A Siafakas, E Angelopoulos, N Georgaculias, E Sigounas, A Jekins*
279 A randomised double blind trial versus placebo does not confirm the benefit of α-interferon in polyneuropathy associated with monoclonal IgM *X Mariette, J-C Brouet, S Chevret, J-M Leger, P Clavelou, J Pouget, C Vial*
280 Reversible posterior leukencephalopathy syndrome induced by granulocyte stimulating factor filgrastim *T Leniger, O Kastrup, H Diener*
281 Acute adverse reaction to fentanyl in a 55 year old man *H J Stuerenburg, J Claassen, C Eggers, H C Hansen*
282 Relapsing alternating ptosis in two siblings *J P Sieb, A Hartmann*

Correspondence

283 Snapshot view of emergency neurolosurgical head injury care *P Sandercock, I Roberts, B Farrell, D Yates, J Wasserberg*

283 **Book review**

Neurological stamp

171 Emil Theodore Kocher (1841-1917) *L Haas*

No 3 SEPTEMBER 2000 Page

Editorial

285 Dissociative psychopathology, non-epileptic seizures, and neurology *R J Brown, M R Trimble*

Editorial commentaries

289 Chronic fatigue syndrome: is it physical? *R Lane*
289 What contributes to quality of life in patients with Parkinson's disease? *C D Ward*
290 Can a neuropsychological follow up contribute to the diagnosis of parkinsonian syndromes? *B Pillon*

Review: Neurological aspects of tropical disease

292 Tetanus *J J Farrar, L M Yen, T Cook, N Fairweather, N Binh, J Parry, C M Parry*

Papers

302 Strength and physiological response to exercise in patients with chronic fatigue syndrome *K Y Fulcher, P D White*
308 What contributes to quality of life in patients with Parkinson's disease? *A Schrag, M Jahanshahi, N Quinn*
313 Neuropsychological follow up in patients with Parkinson's disease, striatonigral degeneration-type multisystem atrophy, and progressive supranuclear palsy *P Soliveri, D Monza, D Paridi, F Carella, S Genitrini, D Testa, F Girotti*
319 Repetitive speech phenomena in Parkinson's disease *T Benke, C Hohenstein, W Poewe, B Butterworth*
326 Neuropsychological outcome after unilateral pallidotomy for the treatment of Parkinson's disease *G M Rettig, M K York, E C Lai, J Jankovic, J K Krauss, R G Grossman, H S Levin*
337 Long term outcome of unilateral pallidotomy: follow up of 15 patients for 3 years *P K Pal, A Samii, A Kishore, M Schulzer, E Mak, S Yardley, I M Turnbull, D B Calne*
345 Predictive control of muscle responses to arm perturbations in cerebellar patients *D Timmann, S Richter, S Bestmann, K T Kalveram, J Konczak*
353 Relation between abnormal patterns of muscle activation and response to common peroneal nerve stimulation in hemiplegia *J H Burridge, D L McLellan*
362 Enhanced B7 costimulatory molecule expression in inflammatory human sural nerve biopsies *R Kiefer, F Dangond, M Mueller, K V Toyka, D A Hafler, H-P Hartung*
369 Low frequency of replication errors in primary nervous system tumours *M J Sobrido, C R Pereira, F Barros, J Forteza, A Carracedo, M Lema*
376 Incidence and prevalence of neurological disorders associated with HIV since the introduction of highly active antiretroviral therapy (HAART) *M Maschke, O Kastrup, S Esser, B Ross, U Hengge, A Hufnagel*
381 Infection related to intracranial pressure monitors in adults: analysis of risk factors and antibiotic prophylaxis *J A Rebuck, K R Murry, D H Rhoney, D B Michael, W M Coplin*

Short reports

385 Primary diffuse leptomeningeal gliomatosis: unusual MRI with non-enhancing nodular lesions on the cerebellar surface and spinal leptomeningeal enhancement *S Kastenbauer, A Danek, W Klein, T A Yousry, K Bise, G Reifenberger, H W Pfister*
389 Spatial memory impairment in patients after tumour resection: evidence for a double dissociation *R P C Kessels, A Postma, L J Kappelle, E H F de Haan*
392 Late adult onset chorea with typical pathology of Hallervorden-Spatz syndrome *D A Grimes, A E Lang, C Bergeron*

Lesson of the month

396 Management of intracranial bleeding associated with anticoagulation: balancing the risk of further bleeding against thromboembolism from prosthetic heart valves *F Crawley, D Bevan, D Wren*

Neurological picture

399 Vanishing Balò-like lesions in multiple sclerosis *G Iannucci, M Mascalchi, F Salvi, M Filippi*

Letters

401 Coexisting vertical and horizontal one and a half syndromes *S Terao, Y Osano, T Fukuoka, N Miura, T Mitsuma, G Sobue*
402 Malignant catatonia secondary to sporadic encephalitis lethargica *H A Shill, M A Stacy*
403 Downbeat nystagmus from heat stroke *G P van Stavern, V Biousse, N J Newman, J C Leingang*

404 Apolipoprotein E ε2 may be a risk factor for sporadic frontotemporal dementia *D J Lehmann, A D Smith, M Combrinck, L Barnetson, C Joachim*

405 Bilateral visual improvement after unilateral optic canal decompression and cranial vault expansion in a patient with osteopetrosis, narrowed optic canals, and increased intracranial pressure *V Vanier, N R Miller, B S Carson*

Correspondence

406 The London handicap scale *R H Harwood, S Ebrahim.* Reply by *J Mant, C Jenkinson, J Carter, D Wade, S Winner*

406 Mass volume measurement in severe head injury *P E Vos, O J M Vogels, T Beems, H O M Thijssen, C Zimmerman.* Reply by *N Stocchetti, A Colombo*

407 **Book reviews**

Proceedings

410 Proceedings of the Association of British Neurologists, University of Exeter, 5-7 April, 2000

Neurological stamp

301 Antonio Grossich (1849-1926) *L F Haas*

325 **Notice**

No 4 OCTOBER 2000

Page

Editorial

427 Cerebral venous thrombosis: anticoagulants or thrombolyic therapy? *H T S Benamer, I Bone*

Editorial commentaries

431 Sural nerve biopsy *J G Mcleod*

431 Fear can interrupt the continuum of memory *M D Kopelman*

Review: Neurological aspects of tropical disease

433 Cerebral malaria *C R J C Newton, T T Hien, N White*

Papers

442 Prospective study of the usefulness of sural nerve biopsy *C M Gabriel, R Howard, N Kinsella, S Lucas, I McColl, G Saldanha, S M Hall, R A C Hughes*

447 Neurological manifestations in chronic mountain sickness: the burning feet-burning hands syndrome *P K Thomas, R H M King, S F Feng, J R Muddle, J M Workman, J Gamboa, R Tapia, M Vargas, O Appenzeller*

453 Functional MRI and intraoperative brain mapping to evaluate brain plasticity in patients with brain tumours and hemiparesis *F E Roux, K Boulanouar, D Ibarrola, M Tremoulet, F Chollet, I Berry*

464 Incidence of brain tumours in two English counties: a population based study *L H Pobereskin, J B Chadduck*

472 Quantitative measurement of cerebral blood flow by ^{99m}Tc-HMPAO SPECT in acute ischaemic stroke: usefulness in determining therapeutic options *A Umemura, T Suzuka, K Yamada*

479 Interference between gait and cognitive tasks in a rehabilitating neurological population *P Haggard, J Cockburn, J Cock, C Fordham, D Wade*

487 Are the modified "simple questions" a valid and reliable measure of health related quality of life after stroke? *P Dorman, M Dennis, P Sandercock, on behalf of the United Kingdom Collaborators in the International Stroke Trial (IST)*

494 Unilateral lesions of the globus pallidus: report of four patients presenting with focal or segmental dystonia *A Münchau, D Mathen, T Cox, N P Quinn, C D Marsden, K P Bhatia*

499 Evaluating the role of botulinum toxin in the management of focal hypertonia in adults *D Richardson, G Sheean, D Werring, M Desai, S Edwards, R Greenwood, A Thompson*

507 Long term decline of P100 amplitude in migraine with aura *N M Khalil, N J Legg, D J Anderson*

Short reports

512 Chorea resulting from paraneoplastic striatal encephalitis *T Tani, Y-S Piao, S Mori, N Ishihara, K Tanaka, K Wakabayashi, H Takahashi*

516 Acute disseminated encephalomyelitis after parenteral therapy with herbal extracts: a report of two cases *S Schwarz, M Knauth, S Schwab, I Walter-Sack, E Bonmann, B Storch-Hagenlocher*

519 Delirium episode as a sign of undetected dementia among community dwelling elderly subjects: a 2 year follow up study *T Rahkonen, R Luukkainen-Markkula, S Paanila, J Sivenius, R Sulkava*

522 Unusual T cell receptor phenotype V gene usage of γδ T cells in a line derived from the peripheral nerve of a patient with Guillain-Barré syndrome *J C Cooper, A Ben-Smith, C O S Savage, J B Winer*

525 The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas *G Chacko, V Rajshekhar, M J Chandy, S M Chandi*

528 Loss of connectivity in Alzheimer's disease: an evaluation of white matter tract integrity with colour coded MR diffusion tensor imaging *S E Rose, F Chen, J B Chalk, F O Zelaya, W E Strugnell, M Benson, J Semple, D M Doddrell*

531 Anatomical variants in the floor of the third ventricle; implications for endoscopic third ventriculostomy *N Morota, T Watabe, T Inukai, K Hongo, H Nakagawa*

535 Genetic polymorphism of dopamine D2 receptors in Parkinson's disease and interactions with cigarette smoking and MAO-B intron 13 polymorphism *P Costa-Mallen, L G Costa, T Smith-Weller, G M Franklin, P D Swanson, H Checkoway*

538 Language lateralisation and early right ear deafness: was Wernicke right? *D Boatman, G Krauss*

541 Modularity of music: evidence from a case of pure amusia *M Piccirilli, T Sciarma, S Luzzi*

546 Subcortical infarction resulting in acquired stuttering *A M Ciabarra, M S Elkind, J K Roberts, R S Marshall*

550 Sexuality in young patients with Parkinson's disease: a population based comparison with healthy controls *H Jacobs, A Vieregge, P Vieregge*

553 Simple and complex vestibular responses induced by electrical cortical stimulation of the parietal cortex in humans *O Blanke, S Perrig, G Thut, T Landis, M Seeck*

Lesson of the month

557 Brain seizes, heart ceases: a case of ictal asystole *E C Lim, S Lim, E Wilder-Smith*

Neurological picture

560 Vertebrogenic dysphagia and gait disturbance mimicking motor neuron disease *P M Andersen, M Fagerlund*

Letters

562 Fear can interrupt the continuum of memory *P Harvey*

562 Folate in CSF and age *T Bottiglieri, E H Reynolds, M Laundy*

563 Anterior superior alveolar neuropathy: an occupational neuropathy of the embouchure *S Frucht*

563 Clinical and MRI discordance in a case of delayed radiation myelopathy *P Maddison, P Southern, M Johnson*

564 Lack of association between *IL-1A* and *IL-1B* promoter polymorphisms and multiple sclerosis *C Ferri, F L Sciacca, L M E Grimaldi, F Veglia, G Magnani, G Santuccio, G Comi, N Canal*

565 Hyperhomocysteinaemia in Alzheimer's disease and expression of cell cycle markers in the brain *Z Nagy, M Z Smith, M M Esiri, L Barnetson, A D Smith*

Correspondence

566 Visual field defects associated with vigabatrin monotherapy in children *A Luchetti, A Amadi, G Gobbi, G Bertani*

566 Hedonistic homeostatic dysregulation in patients with Parkinson's disease on dopaminereplacement therapies *R Cantello.* Reply by *G Giovannoni, A J Lees*

567 **Book review**

Historical note

463 The fissure of Sylvius (1614–72) *J M S Pearce*

Neurological stamp

471 Andre Högyes (1847-1906) *L F Haas*

No 5 NOVEMBER 2000

Page

Editorial

569 Progressive multifocal leucoencephalopathy: progress in the AIDS era *H Manji, R F Miller*

Editorial commentaries

572 Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia *G B Frisoni*

572 Aneurysmal haemorrhage: partialling out the effect of the bleed *K Carpenter*

Review

574 Psychological impact of genetic testing for Huntington's disease: an update of the literature *B Meiser, S Dunn*

Papers

579 Paradox of a better test for Huntington's disease *A Maat-Kievit, M Vegter-van der Vlis, M Zoeteweij, M Losekoot, A van Haeringen, R Roos*

584 Health related quality of life in Parkinson's disease: a prospective longitudinal study *K H Karlsen, E Tandberg, D Arsland, J P Larsen*

590 Systematic review of acute levodopa and apomorphine challenge tests in the diagnosis of idiopathic Parkinson's disease *C E Clarke, P Davies*

595 Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry *K N Vemmos, M L Bots, P K Tsibouris, V P Zis, C E Takis, D E Grobbee, S Stamatelopoulos*

601 Incidence of intracerebral and subarachnoid haemorrhage in southern Sweden *O G Nilsson, A Lindgren, N Ståhl, L Brandt, H Säveland*

608 Cognitive impairments after surgical repair of ruptured and unruptured aneurysms *A E Hillis, N Anderson, P Sampath, D Rigamonti*

616 Ultrasonic evaluation of pathological brain perfusion in acute stroke using second harmonic imaging *J Federlein, Th Postert, S Meves, S Weber, H Przuntek, Th Büttner*

623 Comparison of the pattern of atrophy of the corpus callosum in frontotemporal dementia, progressive supranuclear palsy, and Alzheimer's disease *H Yamauchi, H Fukuyama, Y Nagahama, Y Katsumi, T Hayashi, C Oyanagi, J Konishi, H Shio*

630 Visual rating and volumetry of the medial temporal lobe on magnetic resonance imaging in dementia: a comparative study *L-O Wahlund, P Julin, S-E Johansson, P Scheltens*

636 Effects of topiramate on cognitive function *P J Thompson, S A Baxendale, J S Duncan, J W A S Sander*

Short reports

642 Idiopathic ocular neuromyotonia: a neurovascular compression syndrome? *C Tilikete, C Vial, M Niederlaender, P L Bonnier, A Vighetto*

645 Misidentification syndromes related to face specific area in the fusiform gyrus *A J Hudson, G M Grace*

649 Characteristics of falling in patients with stroke *C Ugur, D Gücüyener, N Uzuner, S Özkan, G Özdemir*

652 Description of a simple test for CADASIL disease and determination of mutation frequencies in sporadic ischaemic stroke and dementia patients *T Wang, S D Sharma, N Fox, M Rossor, M J Brown, P Sharma*

655 Unusual muscle pathology in McLeod syndrome *M H Barnett, F Yang, H Iland, J D Pollard*

658 Effect of prolonged neck muscle vibration on lateral head tilt in severe spasmodic torticollis *H-O Karnath, J Konczak, J Dichgans*

661 Alzheimer's disease and frontotemporal dementia are differentiated by discriminant analysis applied to ^{99m}Tc HmPAO SPECT data *P Charpentier, I Lavenu, L Defebvre, A Duhamel, P Lecouffe, F Pasquier, M Steinling*

664 Altered glycosylation of acetylcholinesterase in lumbar cerebrospinal fluid of patients with Alzheimer's disease *J Sáez-Valero, M S Barquero, A Marcos, C A McLean, D H Small*

668 Does APO ε4 correlate with MRI changes in Alzheimer's disease? *R S Doody, S N Azher, H A Haykal, J K Dunn, T Liao, L Schneider*

672 Carotid brainstem reflex myoclonus after hypoxic brain damage *T Hanakawa, S Hashimoto, K Iga, Y Segawa, H Shibasaki*
675 Atypical form of non-Langerhans histiocytosis with disseminated brain and leptomeningeal lesions *T Stojkovic, J de Seze, C-A Maurage, C Rose, J-C Hache, P Vermersch*
679 Contralateral hearing loss as an effect of venous congestion at the ipsilateral inferior colliculus after microvascular decompression: report of a case *C Strauss, R Naraghi, B Bischoff, W J Huk, J Romstöck*
683 Bilateral stenting of symptomatic and asymptomatic internal carotid artery stenosis due to fibromuscular dysplasia *J Finsterer, J Strassegger, A Haymerle, G Hagmüller*

Lesson of the month
687 Lead poisoning from complementary and alternative medicine in multiple sclerosis *A A Fisher, D G Le Couteur*

Neurological picture
690 Spinal cord schistosomiasis *H van Leusen, W V M Perquin*

Letters
692 The rostrocaudal gradient for somatosensory perception in the human postcentral gyrus *K Takeda, Y Shozawa, M Sonoo, T Shimizu, T Kaminaga*
693 Isolated spastic paraparesis leading to diagnosis of Friedreich's ataxia *G Castelnovo, B Biolsi, A Barbaud, P Labauge, M Schmitt*
693 Marked increase of interleukin-6 in injured human nerves and dorsal root ganglia *G Saldanha, K J Bär, Y Yiangou, P Anand, R Birch, T Carlstedt, J M Burrin*
694 Crossed face apraxia *C Papagno, S D Sala*
695 A case of Bickerstaff's brainstem encephalitis mimicking tetanus *T Saito, I Miyai, T Matsumura, S Nozaki, J Kang, H Fujita, N Sugimoto, N Yuki*
696 Lysozyme in ventriculitis: a marker for diagnosis and disease progression *S Schroeder, H J Stuerenburg, F Escherich, G Pfeiffer, F Schroeder*
697 Clinicoanatomical correlates of a Fou rire prodromique in a pontine infarction *F Assal, N Valenza, T Landis, Jean-P Hornung*
698 Proximal median mononeuropathy associated with an anomalous deep course through the brachialis muscle *A Morini, L Viola, D Orrico, G Bianchini, W D Sala, A D Ghobert*
699 Documented growth of a temporal arachnoid cyst *K Wester, G Moen*
700 Pituitary apoplexy presenting as massive subarachnoid haemorrhage *M A Wohaibi, N A Russell, A A Ferayan, A Azvada, M A Jumah, M Omojola*
701 Early detection of non-compliance in Wilson's disease by consecutive copper determination in cerebrospinal fluid *H J Stuerenburg, C Eggers*

Correspondence
702 Between will and action *S A Spence*
702 Progressive dementia and gait disorder in a 78 year old woman *O M P Jolobe*
703 Guillain-Barré, Fisher, and Bickerstaff syndromes: nature versus well established ideas *I Derakhshan.* Reply by *N Yuki*
704 Intravenous immunoglobulin causing reversible posterior leukoencephalopathy syndrome? *M Lewis, P Maddison.* Reply by *B Turner, A J Wills*
704 Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision? *A Chaudhuri*
705 Corticobasal ganglionic degeneration and/or frontotemporal dementia? *A E Lang*
705 Diagnostic criteria for corticobasal degeneration *P L Lantos.* Reply by *J Xuereb, J Hodges*
706 Assessment and treatment of dizziness *A P Coatesworth.* Reply by *G M Halmagyi, P D Cremer*

707 **Book reviews**

Historical note
578 Henry Head (1861-1940) *J M S Pearce*

Neurological stamp
641 William Stewart Halsted (1852–1922) *L F Haas*

No 6 DECEMBER 2000

Page **Editorial**
711 Epilepsy: an autoimmune disease? *J Palace, B Lang*

Editorial commentaries
715 Magnetisation transfer analysis and the disability resulting from multiple sclerosis *S A Hawkins*
715 Unmet needs in multiple sclerosis: the role of community services *C Milanese*
716 Hippocampal sclerosis: cause or consequence of febrile seizures *M J Koepp*

Review
718 Neurological rehabilitation: from mechanisms to management *A J Thompson*

Papers
723 Relative contributions of brain and cervical cord pathology to multiple sclerosis disability: a study with magnetisation transfer ratio histogram analysis *M Rovaris, M Bozzali, G Santuccio, G Iannucci, M P Sormani, B Colombo, G Comi, M Filippi*
728 Community services in multiple sclerosis: still a matter of chance *J A Freeman, A J Thompson*
733 Degree of hippocampal atrophy is not related to a history of febrile seizures in patients with proved hippocampal sclerosis *S P C Bower, C J Kilpatrick, S J Vogrin, K Morris, M J Cook*
739 Behavioural disorders in children with epilepsy: early improvement after surgery *M Lendt, C Helmstaedter, S Kuczaty, J Schramm, C E Elger*
745 Line versus representational bisections in unilateral spatial neglect *S Ishiai, Y Koyama, K Seki, M Izawa*
751 Scanning the visual world: a study of patients with homonymous hemianopia *A L M Pambakian, D S Wooding, N Patel, A B Morland, C Kennard, S K Mannan*
760 Estimate of the maximum time interval between formation of cerebral aneurysm and rupture *P Mitchell, J Jakubowski*
768 Physical activity and subarachnoid haemorrhage: a population based case-control study *J R Fann, W A Kukull, W J Katon, W T Longstreth Jr*

773 Subtle changes among presymptomatic carriers of the Huntington's disease gene *S C Kirkwood, E Siemers, M E Hodes, P M Conneally, J C Christian, T Foroud*
780 Cerebral activation pattern in primary writing tremor *D Berg, C Preibisch, E Hofmann, M Naumann*
787 Mismatch between electrophysiologically defined and ventriculography based theoretical targets for posteroventral pallidotomy in Parkinson's disease *M Merello, A Cammarota, D Cerquetti, R C Leiguarda*
792 Brain tumours in Sweden 1996: care and costs *P Blomqvist, J Lycke, P Strang, H Törnqvist, A Ekbom*
799 Steroid responsive polyneuropathy in a family with a novel myelin protein zero mutation *M Donaghy, S M Sisodiya, R Kennett, B McDonald, N Haites, C Bell*
806 An axonal form of Charcot-Marie-Tooth disease showing distinctive features in association with mutations in the peripheral myelin protein zero gene (Thr124Met or Asp75Val) *K Misu, T Yoshihara, Y Shikama, E Awaki, M Yamamoto, N Hattori, M Hirayama, T Takegami, K Nakashima, G Sobue*

Neurological picture

812 Periorbital bruising in spontaneous subarachnoid haemorrhage *P Kennedy, J Tarafder*

Short reports

813 Late onset heterozygous ornithine transcarbamylase deficiency mimicking complex partial status epilepticus *M D Bogdanovic, D Kidd, A Briddon, J S Duncan, J M Land*
816 Can spontaneous spinal epidural haematoma be managed safely without operation? a report of four cases *J Duffill, O C Sparrow, J Millar, C S Barker*
820 Dissociation of anosognosia and phantom movement during the Wada test *L H Lu, A M Barrett, J E Cibula, R L Gilmore, E B Fennell, K M Heilman*
824 Late onset postpartum eclampsia without pre-eclamptic prodromi: clinical and neuroradiological presentation in two patients *R Veltkamp, A Kupsch, J Polasek, T A Yousry, H W Pfister*
828 Prognostic value of motor evoked potentials elicited by multipulse magnetic stimulation in a surgically induced transitory lesion of the supplementary motor area: a case report *F Sala, M J Krzan, G Jallo, F J Epstein, V Deletis*

Letters

832 Treatment of paroxysmal sympathetic storm with labetalol *D Do, V L Sheen, E Bromfield*
833 Moyamoya disease presenting with singing induced chorea *S Han, Y-G Kim, S-H Cha, S-Y Chung*
834 Late recurrence of glossopharyngeal neuralgia after IXth and partial Xth nerve rhizotomy: treatment by microvascular decompression *B K Owler, I Johnston, M Kennedy*
835 Immunohistochemistry distinguishes between Pick's disease and corticobasal degeneration *K Bell, N J Cairns, P L Lantos, M N Rossor*

Correspondence

836 Neurological emergencies: acute stroke *A Rabinstein.* Reply by *R J Davenport, M S Dennis*
837 Illusory movements of the paralysed upper limb in stroke *A M O Bakheit.* Reply by *T E Feinberg, D M Roane*
837 Social deprivation and prevalence of epilepsy and associated health usage *M Preter.* Reply by *C L Morgan, Z Ahmed, M P Kerr*
838 Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease *B Kis, I Heberlein, J Hagenah, H Jacobs, C Klein, P Vieregge*

838 **Book review**

Historical note

791 Wallerian degeneration *J M S Pearce*

Neurological stamp

786 André Chantemesse (1851–1919) *L F Haas*
840 Volumes 68 and 69. Assessors
842 Volumes 68 and 69. Reviewers
843 Index to volume 69
Contents of volume 69